# Keysight Technologies TC721 50 GHz Attenuator 0-50 GHz Performance

**Technical Overview** 



# Description

Wafer–probe TC721 performance data to 50 GHz at various attenuation settings are shown below.

Additional data may be available through WPTC Marketing at 1-707- 577- 4482.

### Note

This product note provides supplemental information not included in the product data sheet. The purpose of supplemental data is to provide the end user with useful product-specific information to aid in the design process. The information provided does not represent or imply additional product specifications. Every attempt has been made to provide accurate data on typical products.




Figure 1. Typical Attenutation Characteristics




Figure 2. Typical Input and Output Return Loss

## myKeysight

### myKeysight

### www.keysight.com/find/mykeysight

A personalized view into the information most relevant to you.

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

### Americas

Canada (877) 894 4414 Brazil 55 11 3351 7010 Mexico 001 800 254 2440 United States (800) 829 4444

### Asia Pacific

Australia 1 800 629 485 China 800 810 0189 China Hong Kong 800 938 693 1 800 112 929 Japan 0120 (421) 345 080 769 0800 Korea 1 800 888 848 Malaysia Singapore 1 800 375 8100 Taiwan 0800 047 866 Other AP Countries (65) 6375 8100

### Europe & Middle East

> Opt. 2 (FR) Opt. 3 (IT)

United Kingdom 0800 0260637

For other unlisted countries: www.keysight.com/find/contactus (BP-07-10-14)



